

THE ZOOLOGIST:

A MONTHLY JOURNAL

OF

NATURAL HISTORY.

FOURTH SERIES.—VOL. V.

EDITED BY

W. L. DISTANT.

LONDON:

WEST, NEWMAN, & CO., 54, HATTON GARDEN.

SIMPKIN, MARSHALL, & CO., LTD.

1901.



PREFACE.

THE issue of the December number terminates another volume of 'THE ZOOLOGIST,' and, although our pages have been necessarily—and, we hope, temporarily—reduced to the status of a previous standard, our contributors have worthily upheld the zoological position of the Journal.

IN MAMMALIA, during what we may call the "*Okapia*" year, we have published full obituary notices of the Quagga (*Equus quagga*), and the Blaauwbok (*Hippotragus leucophæus*), and given illustrations of those now apparently extinct South African animals; while from the same region we have received an explanation of some tradition respecting the Scaly Ant-Eater (*Mnis temmincki*). Our own British species have not been neglected, and the notes thereon are as full and interesting as usual.

Of course, in AVES we have found our strength, and the papers and notes thereon show no diminution in the activity of our ornithological contributors. Among so much information we can here refer to few features, but the record of the Wigeon (*Mareca penelope*) breeding in Ireland, and that of the American Wigeon (*M. americana*) breeding in Iceland, are new facts of the highest ornithological interest.

REPTILIA have not incited so many recorded observations as might have been wished, but we have noticed the publication of a book on British species, in which is reproduced much that had been previously recorded by the author in these pages.

PISCES.—We are still anxious for more information on this subject in 'THE ZOOLOGIST.' At present there is a distinct "slump" in Fish contributions. Perhaps the most interesting record we received was that of the occurrence of the File-Fish (*Balistes capriscus*) off Brighton.

Other Orders of British animal life seem, so far as our pages are concerned, to excite small interest. We hope in future volumes that this cannot be said.

Another feature in 1901 has been a biographical element, or what we may venture to style a commencement of "patristic zoology." Thus we have had an appreciation of "Dante as a Naturalist," and a most interesting paper on "Early Ornithologists," written, alas! by an old contributor whose valued communications we shall never receive again.

Everywhere Zoology is an advancing science. This year the International Congress held its meeting at Berlin, while the publication of books relating to animal life is ever on the increase; and, though much of this literature may be of a compilative description, and designed for "popular" uses, it still proves that the reading public are not uninterested in the animal life around them. On all sides Zoology receives a fresh support. It is no longer the sluggard who is bid to study the way of the Ant, but the philosopher, and even the politician. Evolution has received its strongest credentials from Zoology, and Evolution is now a force recognized as much in the life of the city as in that of the fields. We can realize the past when the zoologist would be considered a "crank"; we well understand the modern equivalent of estimating the science as a "hobby"; but it only remains for zoologists to render it one of the factors in assisting to explain the mysteries of our own existence; and this may perhaps be best achieved by the bionomical method of 'THE ZOOLOGIST.'

CONTENTS.

ALPHABETICAL LIST OF CONTRIBUTORS.

ANDREWS, C. W.

Fossil Vertebrates from Egypt, 318

APLIN, O. V., F.L.S., M.B.O.U.

Robin in Shetland, 106; Marsh-Warbler at Bath, 106; The origin and meaning of the names of British Birds, 109; Further notes from Lley, West Carnarvonshire, 141; Robin in Shetland, 154; The Whiskered Bat in Oxfordshire, 315; Great Black-backed Gull inland in Wales, 317; Montagu's Harrier in Northamptonshire, 476; The Ring-necked Duck as a British bird, 476

ARCHIBALD, CHARLES F.

Nesting of Long-eared Owl, 31

AUSTEN, E. E.

Ornithomyia avicularia, 357

BACKHOUSE, J.

Hybrid Crow, and White Wagtail, in Merioneth, 30; The Birds of Yorkshire, 33; Varieties of the Dunlin, 91

BARRETT-HAMILTON, G. E. H.

The coloration of the Variable Hare, 221; Note on the origin of sexual dimorphism, and of nuptial weapons and ornamentation, 420

BENSON, CHARLES W.

With the birds in May, 1901, 272

BEVIR, J. L., M.A.

Dante as a Naturalist, 361

BINGHAM, C. T., Lieut.-Col.

Nesting of the Pigmy Falcon in Upper Burma, 224; Hoopoe at Reigate, 269

BONHOTE, J. LEWIS, M.A., F.Z.S.

The nesting habits of Moor-hens, 71; Varieties of the Dunlin, 185; Notes on the Sciuridæ, 241

BRADSHAW, GEORGE W.

Weights of Birds, 111; Habits of

Alcedo hispida, 354; Regulus cristatus near Reading, 472; Little Owl at Henley, 476; Peregrine Falcon in Berkshire, 476

BUCKNILL, JOHN A., M.A.

Ornithological notes from Surrey, 247

BUTLER, Lieut.-Col. E. A.

Notes from Suffolk, 477

BUTTERFIELD, E. P.

Habits of the Ring-Ouzel, 28; Distribution of the Stonechat in Yorkshire, 64

BUTTERFIELD, W. RUSKIN

Occurrence of the Willow-Tit in Sussex, 29; Breeding of the Blue-headed Wagtail in Sussex, 389; Occurrence of the Broad-billed Sandpiper in Sussex, 390

BUXTON, C. S.

Vanessa polychloros in December, 32

CARTER, THOMAS

Notes from Point Cloates, N. W. Australia, 255

CHARBONNIER, H. J.

Sparrow-Canary hybrid, 353; Variety of Vesperugo pipistrellus, 472

CLARKE, W. J.

The sloughing of Serpents, 391; Notes from Scarborough, 477; Mosquitoes at Scarborough, 479

COBURN, F.

The occurrence of the Red-throated Pipit in Ireland, 264; Lesser White-fronted Goose in Norfolk, 317; Brief notes on an expedition to the North of Iceland in 1899, 403; Icelandic names of birds, 478

COMBER, ALFRED T.

A dipterous parasite in the plumage of birds, 357

CORBIN, G. B.

Variety of Pied Wagtail, 154; Wild-fowl on the Hampshire Avon during the winter of 1900-1, 156; Osprey in Hampshire, 427; Great Snipe and variety of Swallow in Hampshire, 428; A dipterous parasite in the plumage of birds, 430; American Yellow-billed Cuckoo (*Coccyzus americanus*) at Ringwood, 474

COTTNEY, JOHN

Wigeon breeding in Ireland, 269

COWARD, T. A.

Non-protective coloration in the Variable Hare, 73; Climbing powers of the Long-tailed Field-Mouse, 221; The Sand-Lizard in the North of England, 355

DAVENPORT, H. S.

Early Jack-Snipe, 31

DISTANT, W. L.

The death of Queen Victoria; Animal intelligence, 190; The File-Fish, 226; The protection of British Birds, 230; The late Eleanor A. Ormerod, LL.D., 310; Biological Suggestions—Animal Sense Perceptions, 321; The Scaly Ant-Eater, 352; The late Rev. H. A. Macpherson, 480

DUNCAN, STANLEY

Notes on Bird-life from Redcar and District, 108; Varieties of the Dunlin, 156; Notes from Redcar, Yorkshire, 477

EDWARDS, L. A. CURTIS

Rose-coloured Pastor in Kent, 223; Broad-billed Sandpiper in Kent, 390

ELLIOTT, J. STEELE-

Notes on the House-Martin and Sand-Martin, 69; Nesting of the Jackdaw, 70; Nightjar hawking May-flies, 70; Observations on the Noctule, 153; An unrecorded Kite obtained in Huntingdonshire, 354; Notes on the Swift, and the number of days taken in incubation, 473

ELLISON, Rev. ALLAN

Breeding habits of the Swift, 384; Chiffchaff singing in autumn, 424

EVANS, H. M.

The Little Bittern in Cornwall, 354

FIELD, EASTWICK- C.

Lesser Redpoll nesting in Sussex, 315

FINN, FRANK

Rosefinch released in Devon, 267; Pairing manoeuvres of Pigeons, &c., 270; Great Crested Lark, &c., released in England, 353

FLOWER, S. S., Capt.

Sand-Lizard in Berkshire, 430

FORREST, H. E.

The building of a Dormouse's nest, 68; Hairy-plumaged Moorhens, 108; Red-footed Falcon in Shropshire, 224; Palmate Newt in Carnarvonshire, 225; Autumnal litter of Dormice, 423; Richard's Pipit in North Wales, 425; Hobby breeding in Shropshire, 426

FOWLER, W. WARDE, M.A.

On the winter singing of the Song-Thrush, 212

FOX, W. STORRS

Little Bustard in Derbyshire, 270

FRYER, HERBERT FORTESQUE

Note on the weight and specific gravity of some common eggs, 110

GILL, E. LEONARD

Miscellaneous jottings on bird songs, 449

GRABHAM, OXLEY, M.A.

The birds of Yorkshire, 33; The protection of British birds, 226

GRANT, C. H. B.

Yellow Wagtails wintering in the Isle of Man, 69

GRAVES, FRANK S.

Black Tern in Cheshire, 188; Birds observed on the Calf of Man, 468

GUNNING, J. W. B., Dr.

Experiments in hybridity at Pretoria, 263

GURNEY, J. H., F.L.S., F.Z.S.

British-killed Egrets, 107; Ornithological notes from Norfolk for 1900, 121; Red-footed Falcon in Essex, 426

HAAGNER, ALWIN C.

The Aardwolf in the Transvaal Colony, 219; Suggested mimicry of the South African Weasel, 220

HAIGH, G. H. CATON

Red-necked Phalarope in Lincolnshire, 72; Migration of birds in N.E. Lincolnshire during the autumn of 1900, 201

- HARVEY, ARTHUR W. HEXT
Black Tern in Cornwall, 188
- HORSBRUGH, CHARLES BETHUNE
Nesting of the Marsh-Warbler in Somersetshire, 472
- HORTON, B. J.
Notes on the Leopard Snake in confinement, 159
- HOWARD, H. E., F.Z.S.
The Grasshopper Warbler in North Worcestershire, 60; On the increase of the Starling and the Hawfinch, 463
- JANSON, OLIVER E., F.E.S.
William Doherty, 386
- JOHNSON, T. P.
"The mode of progression of the *Phalacrocoracidae*," 31
- JOURDAIN, Rev. F. C. R.
On the breeding habits of the Swift in Derbyshire, 286; Number of eggs laid by the Swift, 426
- LANGDALE, Rev. H. MARMADUKE
Nutcracker in Sussex, 107; Bank-Vole in Sussex, 153
- LEIGHTON, GERALD, M.B.
A plague of Snakes, 25; Black Adder in South Wales, 273; Sloughing in Serpents, 301
- LEWIS, STANLEY
The vibrating sounds of the Lesser Spotted Woodpecker, 184
- LODGE, R. B.
Photo-trapping Purple Herons and Spoonbills, 290; Some strange nesting habits in Holland, 318; *Ægialitis hiaticula* nesting in Middlesex (within London postal district), 389
- LUMSDEN, ERNEST S.
The Sand-Lizard in Berkshire, 479
- MACPHERSON, Rev. H. A., M.A.
Varieties of the Dunlin, 187; The Lesser Spotted Woodpecker, 223; The rarer birds of the Solway Firth, 281; The origin of the name "Fulmar," 355; Early ornithologists, 376; The Water-Chanter of Turner, 480
- MARSHALL, GUY A. K.
Note on the Scaly Ant-Eater, 351
- MARTIN, BASIL W.
Curious accident to a young Mistle-Thrush, 222
- MEIKLEJOHN, A. H.
The names of British Birds, 72; Early Jack-Snipe, 108; Nesting of the Jackdaw, 154; Chiffchaff singing in autumn, 388; Wax-wing at Scarborough, 473
- MENNELL, HENRY T., F.L.S.
House-Martins in November, 30
- NELSON, T. H.
The Birds of Yorkshire, 32; Glossy Ibis in Durham, 185
- NEW, OLIVER H.
A few further notes on the Great Spotted Woodpecker, 95; Lesser Spotted Woodpecker, 107
- NEWMAN, T. P., F.R. Met. Soc.
The late Eleanor A. Ormerod, LL.D., 312
- NEWSTEAD, ROBERT
Little Egret in Yorkshire, 70
- NICOLL, MICHAEL JOHN
Baird's Sandpiper in Sussex, 31; Some appearances of the Ring-Ouzel at St. Leonard's-on-Sea, 69; Siskins in Sussex, 426; Osprey at Rye Harbour, 427
- NOBLE, H.
The Birds of Berkshire, 274
- ODDI, Prof. E. ARRIGONI DEGLI
Bird notes from Brembana Valley, 1
- OLDHAM, CHARLES
Observations on the Noctule, 51
- PAGE, WESLEY T.
Molluscs eaten by Wood-Pigeons, 73
- PARKIN, THOMAS
Common Roller in Sussex, 316
- PATTERSON, ARTHUR
Lesser Rorqual Whale, 28; The Birds of Great Yarmouth and the neighbourhood, 98, 294; Black Rat in Great Yarmouth, 153; Weights of birds, 159; Notes from Great Yarmouth, 160; Spoonbills at Great Yarmouth, 269; Spotted Ray at Great Yarmouth, 274; Storm Petrel in confinement, 478
- PIKE, OLIVER G.
The nesting habits of Moor-hens, 17
- PLAYNE, HERBERT C.
Blackcap singing in February, 106
- POCKOCK, R. I., F.Z.S.
Pigmy Shrew in Yorkshire, 388; Stoat and Weasel trapping, 388; The distribution of the Diamdem Spider, 393; De Winton's Wood-Mouse in Worcestershire, 423

- RALFE, P.
Birds observed on the Calf of Man, 468
- RAMSBOTHAM, R. H.
Active mimicry by the Chaffinch, 223
- RENSHAW, GRAHAM, M.B.
The true Quagga, 41; Notes on the Egyptian Jerboa in captivity, 305; The Blaauwbok, 441
- ROBERTS, T. VAUGHAN
Autumnal litter of Dormice, 472
- RUSSELL, HAROLD
A stronghold of the Chough, 268; Birds in Lisbon, 270
- SAXBY, T. EDMONDSTON
Robin in Shetland, 154; Notes from Shetland, 189; Ornithological notes from Shetland, 391
- SELOUS, EDMUND
An observational diary of the habits, mostly domestic, of the Great Crested Grebe and of the Peewit, 161, 339, 454
- SKIPWORTH, R. M.
Bats carrying their young, 315
- SOUTHWELL, THOMAS, F.Z.S.
Lowestoft Fish-Wharf. 21; Notes on the Seal and Whale Fishery of 1900, 81
- TICEHURST, N. F.
Siskins in Orkney, 425
- TOMS, HERBERT S.
File Fish off Brighton, 225
- TOWNSEND, G.
White Wagtails near Southport, 184; Chiffchaff singing in autumn, 424
- TRUMBULL, J.
Goldcrest seven hundred miles from land, 423
- TUCK, JULIAN G.
Shag in West Suffolk, 70; Early breeding of Wood-Pigeon and Snipe, 185; Cuckoo's eggs, 317; Birds in nest-boxes, 318; Sandwich Tern on the Norfolk coast, 390; Leadbeater's Cockatoo breeding in England, 478
- WARNER, W. H.
Bittern in Oxfordshire, 71; Sand-lizard in Berkshire, 392; Chiffchaff singing in autumn, 424
- WESTELL, W. PERCIVAL
The early life of the young Cuckoo, 155
- WHITAKER, J.
Rare birds in Nottinghamshire, 158; White Leveret at Rainworth, Notts, 423
- WILLIAMS & SON
Variety of the Shag, 354; Puffin off the coast of Kerry, 355
- WILLIAMS, W. J.
Wood-Sandpiper in Co. Dublin, 390
- WILSON, W.
Some March notes from Aberdeen, 189
- WITCHELL, CHARLES A.
The winter singing of the Song-Thrush, 263
- WORKMAN, W. H.
A breeding station of the Puffin, 429

ALPHABETICAL LIST OF SUBJECTS.

- Aardwolf in Transvaal Colony, 219
 Aberdeen, March notes from, 189
 Acanthis hornemanni, 407; linaria, 283; linaria rostrata in Island of Barra, 440
 Accentor collaris, 9; modularis, 9, 204, 469
 Accipiter nisus, 208
 Acredula caudata, 8; irbyi, 8
 Acrocephalus palustris, 106, 473; phragmitis, 204
 Adder, Black, in South Wales, 273
 Ægialitis asiatica, 99; cantiana, 99; hiaticula, 99, 389, 413; ruficapilla, 255
 Ægiothus linaria, 12; rufescens, 12
 Æsalon regulus, 6
 Affection among birds, 140
 Africa, South, vanishing mammalian fauna, 115; migration of birds in, 195
 Alauda arborea, 11; arvensis, 11, 207, 470
 Albino Leveret, 423
 Alca torda, 297, 416, 471
 Alcedo ispida, 7; habits of, 354
 Alligator eggs, artificial incubation of, 197
 America, North, Wheatears in, 197
 Ampelis garrulus, 8, 473
 Amytis striata, 256
 Anas boscas, 208, 410; strepera, 410
 Animal intelligence, 190; sense perceptions, 321
 Animals, game, of Cape Colony, 114; marine, improved method of preparing and preserving specimens, 199; predatory, average weights of, 236
 Anser albifrons, 410; brachyrhynchus, 208; cinereus, 408; erythropus, 317
 Anseranus semipalmata, 260
 Ant-Eater, Scaly, 351
 Anthus campestris, 11; cervinus, 11, 264; obscurus, 204, 405, 469; pratensis, 11, 204, 405, 469; richardi, 11, 283, 425; spinoletta, 11; trivialis, 11; sp.? 405
 Ants, American, compound and mixed nests of, 440
 Aquila chrysaetos, 5; maculata, 5
 Aranea diadema, 393
 Archibuteo lagopus, 5
 Arcturus, 337
 Ardea alba, 107; cinerea, 15, 208 purpurea, 15, 290; garzetta, 70, 107
 Ardeola ralloides, 15
 Ardetta minuta, 354
 Ashanti, forests and birds in, 399
 Asio accipitrinus, 6, 189; brachyotus, 283; otus, 6, 31, 189, 207
 Astur palumbarius, 6
 Athene noctua, 476
 Australian Ornithological Union, 439
 Balænoptera rostrata, 28
 Balistes capriscus, 225
 Bat, Whiskered, in Oxfordshire, 315
 Bats carrying their young, 315
 Beetles, stridulating organs of, 40
 Bernicla brenta, 284; leucopsis, 284
 Biblis rupestris, 8
 Biological Suggestions — Animal Sense Perceptions, 321
 Bird notes, from Brembana Valley, 1; life, from Redcar and district, 108; migration, in Great Britain and Ireland, 117, —in South Africa, 195; songs, 449
 Birds of Yorkshire, 32, 33; of Great Yarmouth and neighbourhood, 98, 294; British, origin and meaning of names of, 72, 109; affection among, 140; rare, in Nottinghamshire, 158; weights of, 111, 159; migration of, 117, 195, 201; British, protection of, 226; in Lisbon, 270; with the, in May, 1901, 272; of Berkshire, 274; rarer, of Solway Firth, 281; in Ashanti, 399; in nest-boxes, 318; dipterous parasite in plumage of, 357, 430; observed on Calf of Man, 468; Icelandic names of, 478
 Birds' eggs, weight and specific gravity of some, 110, 111
 Bittern in Oxfordshire, 71, —in Surrey, 252; Little, in Cornwall, 354
 Blaauwbok (with Plate), 441
 Blackcap singing in February, 106

- Blanford, W. T., on Zoological divisions of British India, 113
Bombycilla garrulus, 283
Bonasa betulina, 14
 Books, Natural History (Crowley Coll.), sale of, 200
BOOKS NOTICED:—
 Animal Behaviour, by C. Lloyd Morgan, 34
 Problems of Evolution, by F. W. Headley, 35
 Reminiscences of a Falconer, by Major Charles Hawkins Fisher, 37
 The Birds of Glamorgan, 38
 Guide to the Zoological Collections exhibited in the Bird Gallery of the Indian Museum (Calcutta), by F. Finn, 40
 British Flies, by G. H. Verrall, 76
 The Mammals of South Africa, by W. L. Sclater, vol. i., 77; vol. ii., 234
 The Crocodilians, Lizards, and Snakes of North America, by Edward Drinker Cope, 79
 Lord Lilford, a Memoir, by his Sister, 80
 American Hydroids, Part I., the Plumulariæ, by Charles Cleveland Nutting, 191
 Zoological Results based on Materials from New Britain, New Guinea, Loyalty Islands, and elsewhere, by Arthur Willey, 192
 First on the Antarctic Continent, being an Account of the British Antarctic Expedition, 1898-1900, by C. E. Borchgrevink, 192
 Text-Book of Zoology, treated from a Biological Standpoint: Part II., Birds, Reptiles, Fishes; Part III., Invertebrates, by Dr. Otto Schmeil, 193
 The Fauna of British India, including Ceylon and Burma, edited by W. T. Blanford: Arachnida, by R. I. Pocock, 194
 Geological Antiquity of Insects, by Herbert Goss, 197
 A Handbook of British Birds, showing the Distribution of the Resident and Migratory Species in the British Islands, &c., by J. E. Harting, 231
 The Life and Letters of Gilbert White of Selborne, by Rashleigh Holt-White, 232
 The Birds of Siberia, a Record of a Naturalist's Visits to the Valleys of the Petchora and Yenesei, by Henry Seebohm, 233
 Zoological Gleanings from the Royal Indian Marine Survey Ship 'Investigator,' by Dr. A. W. Alcock, 239
 Animal Life, a First-Book of Zoology, by D. S. Jordan and V. L. Kellogg, 275
 A Synopsis of the Mammals of North America and the adjacent Seas, by Daniel Giraud Elliot, 276
 Our Country's Shells, and how to know them, a Guide to the British Mollusca, by W. J. Gordon, 277
 Taxidermy, comprising the Skin- ing, Stuffing, and Mounting of Birds, Mammals, and Fish, edited by Paul N. Hasluck, 277
 Cambridge Natural History—Amphibia and Reptiles, by Hans Gadow, 320
 Essays and Photographs—Some Birds of the Canary Islands and South Africa, by Henry E. Harris, 359
 A Descriptive Catalogue of the Indian Deep-Sea Crustacea—Decapoda, Macrura, and Anomala, in the Indian Museum, &c., by Dr. A. Alcock, 360
 Bird-Watching, by Edmund Selous, 394
 Manual of the Birds of Iceland, by Henry H. Slater, 395
 The Life-History of British Serpents, and their Local Distribution in the British Isles, by Gerald R. Leighton, 396
 A Treatise on Zoology, edited by E. Ray Lankester, the Platyhel- mia, Mesozoa, and Nemertini, by W. Blaxland Benham, 432
 Use-Inheritance, illustrated by the direction of Hair on the Bodies of Animals, by Walter Kidd, 433
 Biometrika, a Journal for the Statistical Study of Biological Problems, 436
 General Report on the Investigations in Porto Rico of the U.S. Fish Comm. Steamer 'Fish

- Hawk' in 1899, by Barton Warren Evermann, 435
- Catalogue of the Arctiadae (Arctianae) and Agaristidae in the Collection of the British Museum, by Sir George F. Hampson, Bart., 436
- Fauna, Flora, and Geology of the Clyde Area, edited by G. F. Scott Elliot, Malcolm Laurie, and J. Barclay Murdoch, 437
- How to Know the Indian Ducks, by F. Finn, 437
- Botaurus stellaris*, 71, 108, 208
- Breeding, early, of Wood-Pigeon and Snipe, 185; of Straw-necked Ibis in W. Australia, 261; of Wigeon in Ireland, 269; of Swift, 286, 384, 426, 474; of Blue-headed Wagtail in Sussex, 389; of American Wigeon in Iceland, 411; of Hobby in Shropshire, 426; of Leadbeater's Cockatoo in England, 478
- Brembana Valley, bird notes from, 1
- Bubo ignavus*, 7
- Budytes borealis*, 10; *cinereocapillus*, 10; *feldeggii*, 10; *flavus*, 10
- Bunting, Cirl, 251
- Bustard, Little, in Derbyshire, 270; in Sussex, 428
- Buteo ferox*, 6; *lagopus*, 283
- Butorides javanica*, 257
- Butterflies, Kanara, food-plants, 198; of Borneo, seasonal variation in, 198
- Cacatua leadbeateri*, 478
- Caccabis rufa*, 15; *saxatilis*, 14
- Calamodus schœnobæus*, 10
- Calf of Man, birds observed on, 468
- Calidris arenaria*, 103, 284
- Cambridge Museums and Lecture-Rooms Syndicate, Annual Report, 280
- Cape Colony, larger game animals of, 114
- Caprimulgus europæus*, 7, 70, 391
- Carduelis elegans*, 12
- Carpodacus erythrinus*, 267
- Cephalophus monticola*, 448
- Certhia*, 9
- Certhia familiaris*, 9
- Chaffinch, active mimicry by, 223
- Chanter, Water, of Turner, 480
- Charadrius pluvialis*, 15, 99, 189, 209, 414
- Chaulelasmus streperus*, 284
- Chelidon urbica*, 8, 30, 69
- Chiffchaff singing in autumn, 388, 424
- Chlorophila citrinella*, 12
- Chough, 248, 250; a stronghold of, 268
- Chrysomitris spinus*, 12, 283, 425, 426
- Cinclus aquaticus*?, 480; *melanogaster*, 9; *merula*, 9
- Circæus gallicus*, 5
- Circus æruginosus*, 6; *cineraceus*, 6, 477; *cyaneus*, 6
- Clangula glaucion*, 283; *islandica*, 412
- Clepsine*, 335
- Clupea alosa*, 23
- Coccothraustes vulgaris*, 12, 205
- Coccyzus americanus*, 474
- Cockatoo, Leadbeater's, breeding in England, 478
- Coluber leopardinus*, 159
- Columba palumbus*, 283
- Colymbus adamsi*, 298; *arcticus*, 298; *glacialis*, 284, 298, 417; *septentrionalis*, 283, 298, 417
- Conger vulgaris*, 160
- Connochaetes gnu*, 78
- Coracias garrulus*, 7, 316
- Corixidae*, 200
- Corvus corax*, 13, 407, 470; *cornix*, 13, 30, 207, 283, 470; *corone*, 13, 30, 207, 407; *frugilegus*, 13, 189, 207, 470; *monedula*, 13, 70, 154, 470
- Cosmonetta histrionica*, 412
- Cotile riparia*, 8, 69, 469
- Coturnix communis*, 14
- COUNTY RECORDS:—
- Berkshire*—Birds of, 274; *Alcedo ispida*, 354; Chiffchaff, 424; Sand-Lizard, 392, 430, 479; *Regulus cristatus*, 472; Peregrine Falcon, 476
- Cambridgeshire*—Birds' eggs, 110
- Cheshire*—Noctule, 51; Black Tern, 188; Long-tailed Field-Mouse, 221
- Cornwall*—Black Tern, 188; Little Bittern, 354
- Derbyshire*—Little Bustard, 270; Swift, 286, 426
- Devonshire*—Rosefinch, 267
- Durham*—Glossy Ibis, 185
- Essex*—Red-footed Falcon, 426
- Gloucestershire*—Blackcap, 106; Sparrow-Canary hybrid?, 353; *Vesperugo pipistrellus*, 472
- Hampshire*—Pied Wagtail, 154;

- Wildfowl, 156; Osprey, 427; Great Snipe, 428; variety of Swallow, 428; American Yellow-billed Cuckoo, 474
- Hertfordshire*—Cuckoo, 155; Dormice, 472
- Huntingdonshire*—Kite, 354
- Kent*—House-Martin, 30; Rose-coloured Pastor, 223; Chiffchaff, 388; Broad-billed Sandpiper, 390
- Lancashire*—Long-eared Owl, 31; White Wagtail, 184; Chiffchaff, 424
- Leicestershire*—Jack-Snipe, 31
- Lincolnshire*—Red-necked Phalarope, 72; Migration of birds, 201; Bats carrying their young, 315
- Middlesex*—Mistle-Thrush, 222; with the birds, 272; *Ægialitis hiaticula*, 389
- Norfolk*—Lesser Rorqual Whale, 28; Birds of Yarmouth and neighbourhood, 98, 294; notes, 121, 160; spring migration, 121; Little Bustard, 122; Long-tailed Duck, 123; Little Auk, 124; Green Woodpecker, 128; Cuckoo, 130; hybrid ducklings, 132; Corn-Crake, 133; Red necked Grebe, 134; Black Rat, 153; Spoonbill, 269; Spotted Ray, 274; Lesser White-fronted Goose, 317; Sandwich Tern, 390; Storm Petrel in confinement, 478
- Northamptonshire*—Montagu's Harrier, 476
- Nottinghamshire*—Great Grey Shrike, 158; Snow-Bunting, 158; Goosander, 158; White Leveret, 423
- Oxfordshire*—Bittern, 71; Whiskered Bat, 315; Little Owl, 476
- Shropshire*—Dormouse, 68, 423; Moor-hen, 108; Chaffinch, 223; Red-footed Falcon, 224; Hobby, 426
- Somersetshire*—Marsh-Warbler, 106, 472; Lesser Spotted Woodpecker, 184
- Suffolk*—Lowestoft Fish-wharf, 21; Shag, 70; Great Crested Grebe, 161; Wood-Pigeon, 185; Snipe, 185; Cuckoo, 317; birds in nest-boxes, 318; notes, 477
- Surrey*—Vanessa polychloros, 32; notes, 247; Hoopoe, 269
- Sussex*—Willow-Tit, 29; Baird's Sandpiper, 31; Ring-Ouzel, 69; Nutteracker, 107; Bank-Vole, 153; File-Fish, 225; Lesser Redpoll, 315; Common Roller, 316; *Ornithomyia avicularia*, 357; Blue-headed Wagtail, 389; Broad-billed Sandpiper, 390; Siskin, 426; Osprey, 427; Little Bustard, 428; Leadbeater's Cockatoo, 478
- Warwickshire*—Leopard Snake, 159; Chiffchaff, 424
- Worcestershire*—Grasshopper Warbler, 60; House-Martin, 69; Sand-Martin, 69; Jackdaw, 70; Nightjar, 70; Great Spotted Woodpecker, 95; Lesser Spotted Woodpecker, 107; Noctule, 153; De Winton's Wood-Mouse, 423
- Yorkshire*—Ring-Ouzel, 28; Birds of, 32, 33; Stonechat, 64; Little Egret, 70; Dunlin, 91; bird-notes, 108; Dunlin, 156; Pigmy Shrew, 388; Stoat and Weasel trapping, 388; Waxwing, 473; Sooty Shearwater, 477; Sandwich Tern, 477; Montagu's Harrier, 477; Black Tern, 477; Black Guillemot, 477; Grey Phalarope, 477; Mosquitoes, 479
- Cracticus nigrigularis*, 259
- Crex pratensis*, 209, 470
- Crossbill, 251
- Crow, hybrid, 30
- Cuckoo, 7, 207, 251, 317, 470; young, early life of, 155; American Yellow-billed at Ringwood, 474
- Cuckoos' eggs, 317
- Cuculus canorus*, 7, 155, 207, 251, 317, 470
- Culex annulatus*, 480; fatigans, life-history, 439
- Curlew, 253
- Cursorius gallicus*, 283
- Cuttle-fishes and Dolphins, encounter between, 238
- Cyanecula wolfei*, 10
- Cyclopterus lumpus*, 160
- Cygnus bewicki*, 284; musicus, 284, 410
- Cypselus apus*, 8; melba, 8
- Dafila acuta*, 284, 411
- Dante as a naturalist, 361
- Delamere Forest, 239
- Delphinus delphis*, 22
- Dendrocopus major*, 7, 95, 207, 283,

- 391; medius, 7; minor, 7, 107, 184, 223
Dendrocyena fulva, 270
 Diary, Observational, of habits of Great Crested Grebe and of the Peewit, 161, 339, 454
 Dimorphism, sexual, 420
Dipus jaculus, 305
 Dolphins and Cuttle-fish, encounter between, 238
 Dormouse nest, building of a, 68; autumnal litter, 423, 472
 Duck, Ring-necked, as a British bird, 476; Tufted, 252
 Dunlin, 253; varieties, 91 (fig., 92), 156, 185, 187
Echinus esculentus, 323
 Eggs, common, weight and specific gravity of some, 110, 111; of Alligator, artificial incubation, 197; of Cuckoo, 317
 Egret, Little, in Yorkshire, 70
 Egrets, British-killed, 107
Elanus axillaris, 258
Emberiza *cia*, 11; *cirlus*, 11; *citri-nella*, 11, 206; *hortulana*, 11; *melanocephala*, 353; *pusilla*, 11; *rustica*, 11; *miliaria*, 206; *schœnielus*, 206
Emblema picta, 261
 'Emu,' The, 439
Equus burchellii, 49; *hemionus*, 46; *quagga*, 42, 47, 49
Erithacus rubecula, 10, 106, 154, 203, 469
Erythrogonys cinctus, 255
Erythropus vespertinus, 6
Esacus magnirostris, 260
Eudromias morinellus, 15, 99
 Expedition to the North of Iceland, in 1899, 401
Falco æsalon, 208, 408; *islandus*, 407; *peregrinus*, 6, 208, 470, 476; *sub-buteo*, 426; *tinnunculus*, 208, 470; *vespertinus*, 224, 426
 Falcon, Labrador, picture of, by Wolf, reproduced, 400; Peregrine, in Berkshire, 476; Pigmy, nesting in Upper Burma, 224; Red-footed, with *Sirex vulgaris* in stomach, in Shropshire, 224,—in Essex, 426
 Fauna, mammalian, of S. Africa, 115; of North-Eastern Rhodesia, 397
Ficedula atricapilla, 8; *collaris*, 8
 Fish, File-, off Brighton, 225
 Fish-wharf, Lowestoft, 21
 Food-plants of Kanara butterflies, 198
 Forests in Ashanti, 399
 Fossil vertebrates from Egypt, 318
Fratercula arctica, 298, 355, 417, 429, 471
Fringilla œlebs, 205, 223, 282, 391, 469; *montifringilla*, 282, 283
Fulica atra, 98
Fuligula collaris, 476; *marila*, 412
 Fulmar, origin of name, 355
Fulmarus glacialis, 299, 417
Galerita cristata, 11, 353
Gallinago œlestis, 15, 101, 189, 210, 414; *gallinula*, 15, 31, 101, 108, 210; major, 15, 101, 428
Gallinula chloropus, 17, 71, 108, 470
 Game animals, the larger, of Cape Colony, 114
Garrulus glandarius, 14, 283
Gazeta grossa, 8; *picola*, 8
Gecinus canus, 7; *sharpii*, 271; *viridis*, 7
Gelochelidon anglica, 255
 'Geological Antiquity of Insects,' revised edition of, 197
Geronticus spinicollis, 261
 Ghizeh Zoological Gardens, Report for 1900, 240
 Gladstone and Darwin, mental platforms of, 439
Glareola pratincola, 98, 283
Glaucidium passerinum, 2, 7
 Goldcrest seven hundred miles from land, 423
 Golden-eye, 252
 Goose, Bean, 248; Lesser White-fronted, in Norfolk, 317
Grampus griseus, 238
 Grebe, Great Crested, and Peewit, observational diary of habits, 161, 339, 454; Red-necked, 254
 Grouse, Black, 252
Grus communis, 98
 Gull, Great Black-backed, inland in Wales, 317
Gypaëtus barbatus, 2, 4
 Habits of Ring Ouzel, 28,—Great Crested Grebe and Peewit, 161, 339, 454,—*Alcedo ispida*, 354; nesting of Moor-hens, 17, 71,—some strange, in Holland, 318; breeding, of Swift, 286, 384, 426
Hæmatopus ostralegus, 110, 209, 414, 471
 Hairs of *Myloodon listai*, and other American *Edentata*, structure of, 438

- Haliaetus albicilla*, 5, 189, 407; *leucogaster*, 257
Haliastur girrenera, 257
Hare, Variable, coloration of 73, 221
Harelda glacialis, 412
Harrier, Montagu's, in Northamptonshire, 476
Hawfinch, increase of, 463
Heron, Purple, photo-trapping, 290, —fig., 292
Heteropygia bairdi, 31
Himantopus candidus, 71, 100; *leucocephalus*, 255
Hippotragus equinus, 115, 444; *leuco-phæus*, 115, 442; *niger*, 444
Hirundo rustica, 8, 204, 428, 469
Hobby breeding in Shropshire, 426
Hoopoe at Reigate, 247, 269
Hull naturalists, bygone, 199
Hybrid Crow, 30; Ducklings, 132; Sparrow-Canary?, 353; between Blackcock and Pheasant, 477
Hybridity, experiments in, at Pretoria, 263
Hybrids between *Fringilla cœlebs* and *montifringilla*, 12
Hydrochelidon hybrida, 105; *leucoptera*, 105; *nigra*, 104, 188, 477
Ibis, Glossy, in Durham, 185; Straw-necked, breeding in West Australia, 261
Iceland, brief notes on an expedition to the north of, in 1899, 401
Icelandic names of birds, 478
Incubation, artificial, of Alligator's eggs, 197; of Swift, number of days taken in, 473
'Index Animalium,' 39
India, British, and its dependencies, zoological divisions of, 113
Insects, geological antiquity of, 197
Intelligence, animal, 190
IRELAND—Red-throated Pipit, 264; Wigeon, 269; Shag, 354; Puffin, 355; Wood-Sandpiper, 390
Isle of Man, Yellow Wagtail in, 69
Lynx torquilla, 7
Jackdaw, nesting of, 70, 154
Jerboa, Egyptian, in captivity, 305
Kite in Huntingdonshire, 354
Labrus maculatus, 160
Lacerta agilis, 356, 392, 430, 479; *vivipara*, 356
Lagopus mutus, 14; *rupestris*, 413
Lamna cornubica, 160
Lanius collurio, 8; *excubitor*, 158, 283, 479; *minor*, 8
Lark, Crested, &c., released in England, 353; Wood, 251
Larus argentatus, 295, 471; *cachinnans*, 270, 295; *canus*, 15, 189, 295; *fuscus*, 295, 415, 471; *glaucus*, 285, 296, 415; *icelandicus*, 285; *leucopterus*, 296; *marinus*, 295, 317, 415; *melanocephalus*, 295; *minutus*, 285, 294; *ridibundus*, 15, 295
Lepus timidus, 73, 221
Leveret, White, at Rainworth, Notts, 423
Ligurinus chloris, 12, 205, 469
Limicola platyrhyncha, 15, 102, 390
Limosa belgica, 104; *lapponica*, 104, 210, 283
Linota cannabina, 205, 469; *flaviostris*, 206; *rufescens*, 315, 426
Lisbon, birds in, 270
Lizard, Sand, in North of England, 355; in Berkshire, 392, 430, 479
Llwyn, West Carnarvonshire, notes from, 141
Locustella naevia, 10, 60
Lophophanes cristatus, 8
Lophophaps ferruginea, 256
Lowestoft Fish-wharf, 21
Loxia bifasciata 2, 13; *curvirostra*, 13; *pityopsittacus*, 12
Luscinia philomela, 10; *vera*, 10
Lycenidæ, cannabalistic propensities of, 198
Machetes pugnax, 71, 103, 283
Macrorhamphus griseus, 101, 282
Mammals, new African, 278
Manis javanica, 352; *pentadactyla*, 352; *temmincki*, 351
Manorhina flavigula, 259
Mareca americana, 411; *penelope*, 209, 269, 411
Marine Biological Association of West Scotland, prizes offered by, 400
Martin, House, in November, 30,—notes on, 69; Sand, 69
Melanitis ismene, 198
Melophagus ovinus, 358
Mergus alle, 211, 285, 297, 416; *merganser*, 158, 283, 413; *serrator*, 413
Merops apiaster, 7
Merula alpestris, 9; *nigra*, 9; *torquata*, 9
Mice devouring larvæ of Emerald Moth, 239
Microhierax eutolmus, 224

- Microtus glareolus*, 153
 Migration of birds in Great Britain and Ireland, 117; in South Africa, 195; in N.E. Lincolnshire, 201
Miliaria projer, 11
Milvus affinis, 258; *ater*, 6; *ictinus*, 6, 71, 270, 354
 Mimicry, suggested, of South African Weasel, 220; active, by Chaffinch, 223
Miolania, 120
Molge palmata, 225
 Monkeys, Brazilian, names of, 238
Montifringilla nivalis, 11
Monticola cyanus, 9; *saxatilis*, 9
 Moor-hen, 253; hairy-plumaged, 108; nesting-habits, 17, 71
 Mosquitoes at Scarborough, 479
Motacilla alba, 10, 31, 117, 184, 247, 284, 404; *beema*, 389; *campestris*, 69; *flava*, 271; *melanope*, 204; *lugubris*, 154, 189; *raii*, 204, 248; *sulphurea*, 10
Motella tricolorata, 23
 Mouse, Long-tailed Field, climbing powers, 221; De Winter's Wood, in Worcestershire, 423
Mus alexandrinus, 153; *decumanus*, 153; *rattus*, 153; *sylvaticus*, 221
Muscardinus avellanarius, 68, 423, 472
Muscicapa atricapilla, 204; *grisola*, 8, 469
 Museums—Calcutta, 198; Sarawak, 198
Myiodon listai and other South American Edentata, structure of hairs of, 438
Mytilus edulis, 118
 Names of British birds, 72, 109
 Naturalists, Hull, bygone, 199
Neopithecops gaura, 198
Nephrops norvegicus, 23
 Nest of Dormouse, building a, 68
 Nesting of Long-eared Owl, 31,—Jackdaw, 70, 154,—Barn Owl, 136,—Pigmy Falcon in Upper Burma, 224,—Lesser Redpoll in Sussex, 315,—*Ægialitis hiaticula* in Middlesex, 389,—Marsh Warbler in Somersetshire, 472; habits, of Moor-hen, 17, 71,—Oystercatcher, Common Tern, and Common Heron in Holland, 318
 Nests, compound and mixed, of American Ants, 440
Nettion castaneum, 257; *crecca*, 209
 New South Wales, importation of destructive foreign mammals in, 237
 Newt, Palmate, in Carnarvonshire, 225
 Nightjar hawking May-flies, 70
Nisaetus morphnoides, 258
 Noctule, observations on, 51, 153
 Nomenclature, necessity for a provisional, for forms of life which cannot be at once arranged in a natural system, 119
 Norfolk, ornithological notes from, 121; Natural History of, proposed volume on, 237
 Norman, George, 199
Nucifraga caryocatactes, 14, 107
Numenius arquata, 104, 189, 211; *cyanopus*, 257; *phæopus*, 104, 211, 284, 415
 Nutcracker in Sussex, 107
 Nutrition on sex, negative evidence regarding influence of, 118
Nyctæa scandiaca, 407
Nyctala tengmalmi, 6
 OBITUARY:—
 Queen Victoria (to face title)
 Abrahams, Joseph, 151
 Bedford, F. P., 280
 Bowker, Col. J. H., 399
 Doherty, William, 386
 Fiske, John, 279
 Macpherson, Rev. H. A., 480
 Ormerod, Eleanor A., LL.D. (with portrait), 310
 Whitehead, Alfred, 279
Oceanodroma leucorhoa, 299
Oedinemus crepitans, 108; *scolopax*, 98
Oedemia nigra, 413; *perspicellata*, 282
Okapia johnstoni, 278
Oriolus galbula, 13
 Orkney, Siskin in, 425
Ornithomyia avicularia, 357, 431
 Ornithologists, early, 376
 Osprey at Rye Harbour, 427; in Hampshire, 427
Otocorys alpestris, 11, 283
Otis tarda, 98; *tetrax*, 98, 270, 428
 Ouzel, Ring, 250; habits, 28; at St. Leonards-on-Sea, 69
 Owl, Long-eared, 251,—nesting, 31; Little, at Henley, 476
Oxypterus pallidum, 358
 Oystercatcher, 253, 471
 Pairing manoeuvres of Pigeons, &c., 181, 270

- Pandion haliaëtus*, 5, 427
Pangolin, 351, 352
Panurus biarmicus, 8
Parasite, dipterous, in plumage of birds, 357, 430
Parus ater, 8; *cæruleus*, 8, 204; *major*, 8; *montanus kleinschmidti*, 30; *palustris*, 8; *salicarius*, 29
Passara solitaria, 10
Passer domesticus, 205, 469; *italiæ*, 11; *montanus*, 11, 205; *petronia*, 11
Passera bianca, 11
Pastor, Rose-coloured, in Kent, 223; *roseus*, 223
Patagonia, extinct reptiles from, 120
Patella vulgata, 118, 324
Pelias berus, 114
Pelidna americana, 187
Perdix cinerea, 14, 470
Periophthalmus, 336
Petrel, Storm, 254; in confinement, 478
Phalacrocoracidae, mode of progression under water, 31
Phalacrocorax carbo, 70, 408, 470; *fulicarius*, 477; *graculus*, 354, 408, 470
Phalarope, Grey, 253; Red-necked, in Lincolnshire, 72,—in North Wales, 428
Phalaropus fulicarius, 100; *hyperboreus*, 72, 100, 209, 414
Phasma, 331
Pheasant, hen, with spurs, 139
Phoca vitulina, 114
Photo-trapping Purple Herons and Spoonbills, 290
Phylloscopus bonellii, 10; *rufus*, 388, 424; *trochilus*, 203, 469
Picoides tridactylus, 185
Pierinæ, cannibalistic propensities of, 198
Picus martius, 7
Pigeon, Wood, molluscs eaten by, 73; early breeding, 185
Pigeons, &c., pairing manoeuvres of, 181, 270
Pinicola enucleator, 2, 12
Pipistrellus noctula, 51, 153
Pipit, Red-throated, in Ireland, 264; Richard's in North Wales, 425
Plague of Snakes, 25
Platalea leucorodia, 269
Plectrophanes lapponicus, 11
Plectrophenax nivalis, 11, 158, 206, 284, 407
Plegadis falcinellus, 185
Pleuronectes flesus, 160; *microcephalus*, 160
Pochard, 252
Podargus strigoides, 260
Podiceps auritus, 299, 417; *cristatus*, 108, 161, 298, 339; *fluvialis*, 211, 299; *griseigena*, 134, 298; *nigricollis*, 299
Pœcilogale albinucha, 220
Point Cloates, N.W. Australia, notes from, 255
Porites, 120
Porzana maruetta, 209, 391
Pratincola rubetra, 10, 203, 469; *rubicola*, 10, 64, 469
Procellaria pelagica, 300, 478
Protection of British birds, 226
Proteles cristatus, 78, 219
Ptilotis leilavalensis, 259
Puffin, 254; off coast of Kerry, 355; a breeding station of, on the Shiant Islands, fig., 429
Puffinus anglorum, 299; *griseus*, 477; *major*, 299
Pyrhocorax alpinus, 13; *graculus*, 13, 248, 250, 268, 470
Pyrhula major, 12
Python molurus, 302
Quagga, the true, 41; stallion, fig., 48
Querquedula crecca, 411; *discors*, 282; *sp. ?*, 411
Rabbits in New Zealand, how kept in check, 278
Raia batis, 22; *oxyrynchus*, 22
Rail, Water, 253
Rallus aquaticus, 209
Rat, Black, at Great Yarmouth, 153
Ratiocination in Ants, 440
Ratufa affinis, 244; *bicolor*, 243, 244; *ephippium*, 244; *gigantea*, 244
Raven, 250
Ray, Spotted, at Great Yarmouth, 274
Recurvirostra avocetta, 100; *novæ-hollandiæ*, 255
Redcar, Yorkshire, notes, 108, 477
Redpoll, Lesser, 250; nesting in Sussex, 315
Regulus cristatus, 8, 203, 423,—near Reading, 472; *ignicapillus*, 8
Reptiles, extinct, from Patagonia, 120
Rhinoceros bicornis, 116; *simus*, 116
Rhodesia, North-eastern, fauna, 397
Rhombus lævis, 160
Rissa tridactyla, 296, 415, 471
Robin in Shetland, 106, 154
Roller, Common, in Sussex, 316

- Rookeries, Glasgow, census of, 237
 Rosefinch released in Devon, 267
Ruticilla phœnicurus, 10, 203, 391 ;
 titys, 10, 283
 Sandpiper, Baird's, in Sussex, 31 ;
 Broad-billed, in Kent, 390, — in
 Sussex, 390 ; Wood, in Co. Dublin,
 390
Sarcophilus ursinus, 326
Saxicola aurita, 10 ; *isabellina*, 283 ;
 cananthe, 10, 197, 203, 404, 469 ;
 cananthe leucorhoa, 197 ; *stapa-*
 zina, 10
 Scarborough, notes from, 477
 Sciuridæ, notes on (with Plate), 241
Sciurus atrodorsalis, 245 ; *berdini*,
 244 ; *caniceps*, 245 ; *vulgaris*, 241
Scelopax rusticola, 15, 101, 210, 283
Scops giu, 6
 SCOTLAND—Jack Snipe, 108 ; Jack-
 daw, 154 ; notes, 189 ; Chough, 268
 Seal and Whale Fishery of 1900, 81
 Sense perceptions, animal, 321
Serinus hortulanus, 12
Serolis, 337 ; *bromleyana*, 337 ; *ne-*
 æva, 337
 Serpents, sloughing in, 301, 391
 Shag in West Suffolk, 70 ; variety, 354
 Shetland, Robin in, 106, 154 ; orni-
 thological notes from, 189, 391
 Shiant Islands, a breeding station of
 Puffin, 429
 Shoveler, 252
 Shrew, Pigmy, in Yorkshire, 388
 Singing of Blackbird in February,
 106 ; Song Thrush in winter, 212,
 263 ; Chiffchaff in autumn, 388, 424
 Siskin in Orkney, 425 ; in Sussex,
 426
Sitta cæsia, 9
 Sloughing of Serpents, 301, 391
 Snake, Leopard, in confinement, 159
 Snakes, plague of, 25
 Snipe, 253,—early breeding of, 185 ;
 Great, in Hampshire, 428 ; Jack,
 early, 31, 108
 Solway Vertebrates, &c., 114
 Solway Firth, rarer birds of, 281
Somateria mollissima, 413 ; *specta-*
 bilis, 413
 Songs of birds, 449
Sorex minutus, 388
 Sounds, vibrating, of Lesser Spotted
 Woodpecker, 107, 184, 223
Spatula clypeata, 208 ; *rhynchotis*,
 260
 Spider, Diadem, distribution of, 393
 Spoonbill, photo-trapping, 290
 Spoonbills at Great Yarmouth, 269
Squatarola helvetica, 99, 209, 284
 Starling, increase of, 463
Stenopteryx hirundinis, 358
Stercorarius catarrhactes, 296, 391,
 416 ; *crepidatus*, 297, 416 ; *para-*
 siticus, 285, 297 ; *pomatorhinus*,
 285, 296, 416
Sterna anglica, 105 ; *cantiaca*, 105,
 390, 477 ; *caspia*, 105 ; *dougalli*,
 105 ; *fluvialis*, 294 ; *macrura*, 294,
 415 ; *minuta*, 211, 294
Stictonetta nævosa, 260
 Stoat and Weasel trapping, 388
 Stonechat, distribution in Yorkshire,
 64
Strepsilas interpres, 100, 283
 Stridulating organs of beetles, 40 ; of
 Waterbugs, 200
Strix flammea, 6
 Strychnine nitrate for destroying ani-
 mals or birds of prey, 235
Sturnus vulgaris, 13, 206, 463, 469
 Suffolk, notes from, 477
Sula bassana, 408, 470
 Surrey, ornithological notes from, 247
 Swallow, variety, in Hampshire, 428
 Swift, breeding habits, 286, 384, 426,
 473
Sylvia atricapilla, 10, 106 ; *cinerea*,
 10, 203, 469 ; *curruca*, 10, 203 ;
 hortensis, 469 ; *nisoria*, 10 ; *or-*
 phæa, 10 ; *salicaria*, 10
Syrnium aluco, 6 ; *uralense*, 6
Syrrhaptes paradoxus, 14
Tadorna cornuta, 208, 470 ; *casarca*,
 283
Tæniopygia castanotis, 270
Tajura cippus, 198
Taurotragus oryx, 78
 Teal, 252
 Tern, Black, in Cheshire, 188,—in
 Cornwall, 188 ; Sandwich, on Nor-
 folk coast, 390
Tetrao tetrix, 14
Thalassogeron chlororhynchus, 256
 Thick-knee, 253
 Thrush, Mistle, curious accident to a,
 222 ; Song, winter singing, 212, 263
Tichodroma muraria, 9
Tinnunculus alaudarius, 6
 Tit, Willow, in Sussex, 29
Torpedo nobiliana, 22
Totanus calidris, 15, 104, 189, 210,
 415 ; *canescens*, 104, 210, 283 ; *fus-*
 cus, 104, 284 ; *glareola*, 103, 210,

- 390; glottis, 15; hypoleucus, 103, 210; ochropus, 210
 Trapping Stoats and Weasels, 388
Trigla hirundo, 23; *lineata*, 160
Tringa acuminata, 102; *alpina*, 102, 156, 185, 187, 210, 414; *canutus*, 103, 210, 284; *maculata*, 102, 282; *minuta*, 102, 284; *schinzii*, 91; *striata*, 102, 284, 414; *subarquata*, 102; *temmincki*, 102; *variabilis*, 92
Troglodytes borealis, 404; *parvulus*, 9, 204
Tropidonotus natrix, 27
Tryngites rufescens, 103, 282
Turdus atrigularis, 9; *fuscatus*, 2, 9; *iliacus*, 9, 202, 283, 404; *merula*, 202, 469; *musicus*, 9, 117, 189, 202, 212, 263, 469; *pilaris*, 9, 202, 283; *torquatus*, 28, 69, 203; *viscivorus*, 9, 202, 222, 469
Turtur communis, 14, 209, 282
 Twite or Mountain Linnet, 250

Upupa epops, 7, 247, 269
Uria bruennichi, 416; *grylle*, 297, 417, 477; *troile*, 297, 416, 471
Uroaëtus audax, 256
Urogallus vulgaris, 14

Vanellus capella, 15; *vulgaris*, 100, 189, 209, 339, 470
Vanessa polychloros in December, 32
 Variety of Moor-hen, 108; Barn Owl, 136; Partridge, 139; Robin, 140; Swallow, 140, 428; Mallard, 140; Greenfinch, 140; Pied Wagtail, 154; Dunlin, 91, 156, 185, 187; Shag, 354; *Vesperugo pipistrellus*, 472
 Vertebrates, &c., from Solway, 114; fossil, from Egypt, 318
Vespertilio mystacinus, 315
 Vole, Bank, in Sussex, 153
 Wagtail, Blue-headed, breeding in Sussex, 389; White, in Merioneth, 30,—near Southport, 184; Yellow, wintering in the Isle of Man, 69
 WALES.—Plague of Snakes, 25; hybrid Crow, 30; White Wagtail, 30; notes from Lley, 141; Puffin, 147; Palmate Newt, 225; Black Adder, 273; Great Black-backed Gull, 317; Richard's Pipit, 425; Red-necked Phalarope, 428
 Warbler, Dartford, 250; Grasshopper, in North Worcestershire, 60; Marsh, at Bath, 106,—nesting in Somersetshire, 472
 Waterbugs, stridulating organs of, 200
 Waxwing at Scarborough, 473
 Weasel, South African, suggested mimicry of, 220
 Weights of birds, 111, 159; of predatory animals, 236
 Whale, Lesser Rorqual, near Caister, 28
 Whale and Seal Fishery of 1900, 81
 Wheatears in North America, 197
 Wigeon, 252; breeding in Ireland, 269; American, breeding in Iceland, 411
 Wildfowl on the Hampshire Avon during the winter of 1900-1, 156
 Woodcock, 253
 Woodpecker, Great Spotted, 95, 251; Green with curious growth on lower mandible, fig., 129; Lesser Spotted, vibrating sounds of, 107, 184, 223

Xema sabinii, 294

 Yarmouth, Great, and neighbourhood, - birds of, 98, 294; notes, 160

Zeus faber, 23
 Zoological divisions of British India and dependencies, 113
 Zoologisches Adressbuch, 240

ILLUSTRATIONS.

	PAGE
Plate I.—The Squirrel (<i>Sciurus vulgaris</i>)	to face 241
II.—Eleanor A. Ormerod, LL.D.	310
III.—Blaauwbok Bull (<i>Hippotragus leucophæus</i>) in the Leyden Museum	441
Quagga Stallion in the Natural History Museum at Leyden	48
The Dunlin—larger and smaller forms	92
Young Woodpecker with knob at base of lower mandible	129
File-Fish (<i>Balistes capriscus</i>)	225
<i>Ardea purpurea</i> automatically photographed by itself	292
Puffins on the Shiant Islands	429

